IN THE CLAIMS:

B

- 1. (Currently Amended) Use of tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products for manufacture of medicaments to treat A method of treating diseases of the skin and mucous membranes as well as organs and tissues, except for treatment of retroviral-(HIV)-diseases and disinfection, comprising the administration of tosylchloramide(s), tosylchloramide salt(s), their derivatives, decomposition products and mixtures thereof for manufacture of medicaments.
- 2. (Currently Amended) Use according to The method of Claim 1, characterized in that the diseases affect the skin and the mucous membranes.
- 3. (Currently Amended) Use according to The method of Claim 2, characterized in that the diseases result or may result in efflorescenses.
- 4. (Currently Amended) Use according to The method of Claim 1, characterized in that the diseases and/or efflorescenses may be caused by microorganisms and/or accompanied by microorganisms.
- (Currently Amended) Use according to The method of Claim 1, characterized in that the diseases constitute parasitic diseases, in particular scabies, pediculosis or creeping eruption.
- - a) the eye, in particular the lid, conjunctiva or cornea of the eye;
 - b) the ear, in particular the exterior of the ear;
 - c) the nos , in particular the nasal cavity;



- d) the lips and mucous membranes of the mouth and/or the tongue;
- e) the vulva and/or vagina;
- f) the penis, in particular the glans penis and the prepuce;
- g) the anus;
- h) the nail, in particular the body of the nail, the wall and fold of the nail as well as the root of the nail;
- i) the hair, in particular the hair follicles and the sebaceous glands; and
 - j) the hands and feet, in particular the spaces between the fingers and toes.
- 7. (Currently Amended) Use according to The method of Claim 1, characterized-in-that the wherein said tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products are present in the an employed base in an amount of approximately 0.1 to 20% by weight.
- 8. (Currently Amended) Use according to The method of Claim 1, eharacterized in that wherein a tosylchloramide salt is employed, in particular chloramine T.
- 9. (Currently Amended) Use—according—to The method of Claim 7, characterized—in—that wherein the base constitutes a liquid, semi-solid or solid, water-containing or water-free galenic preparation.
- 10. (Currently Amended) Use according to The method of Claim 9, characterized in that wherein the base constitutes an ointment, a gel, a cream, a paste, a suppository, such as a vaginal suppository, an adhesive bandage, a tablet, such an effervescent or vaginal tablet, or a capsule, a stick, a pulverized substance, a powder, a solution, an aerosol, a two-compartment system or a suspension, such as a shak mixture/dry suspension.

Use according to The method of Claim 9, 11. (Currently Amended) characterized in that wherein the base constitutes a dosed aerosol or a dosed solution.

- (Currently Amended) 12. Use according to The method of Claim 9, characterized in that wherein the base constitutes a bath water additive.
- 13. (Currently Amended) Use according to The method of Claim 9, characterized in that wherein the salve is an O/W- or a W/O-emulsion ointment.
- 14. (Currently Amended) Use according to The method of Claim 7, characterized in that the base is a cortisone-containing preparation, containing the tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products in an amount of approximately 0.1 to 20% by weight.
- 15. (Currently Amended) Use according to The method of Claim 9, characterized in that wherein the base is a gel, in which are present comprising the tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products in an amount of approximately 0.1 to 5% by weight.
- 16. (Currently Amended) Use according to The method of Claim 9, eharacterized in that wherein the bath water additive is employed in form of pulverized substance or bath salt tablet or effervescent tablet, which is applied in water in a concentration of approximately 0.1 to 1% by weight.
- (Currently Amended) Use according to The method of Claim 1, 17. characterized in that wherein the tosylchloramide(s), tosylchloramide salt(s), their

derivativ s and/or decomposition products are present in the an employed base in an amount of approximately 5 to 15% by weight.

- 18. (Currently Amended) Use according to The method of Claim 1, characterized in that wherein the tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products are present in the an employed base in an amount of approximately 8 to 12% by weight.
- 19. (Currently Amended) Use according to The method of Claim 9, characterized in that wherein the base is a gel, in which are present the tosylchloramide(s), tosylchloramide salt(s), their derivatives and/or decomposition products in an amount of approximately 0.1 to 2% by weight.
- 20. (New) A medicament for treating diseases of the skin and mucous membranes as well as organs and tissues, except for treatment of retroviral (HIV) diseases and disinfection, comprised of a base material and a tosylchloramide(s), tosylchloramide salt(s), their derivatives, decomposition products and mixtures thereof.